


Fig. 9.20.2(a): Plan





Fig. 9.20.2(b): Waist-slab type

Fig. 9.20.2(c) Tread-riser type

Fig. 9.20.2(d): Isolated tread slab










Fig. 8.36. Dog legged stair





Fig. 8.37. Open well (newel) stair



Samajh mein aaya kya



Q.1 Vertical posts that hold up the Handrails?

- (a) Baluster
- (b) Newel
- (c) Winders
- (d) Risers.

Q.2) Vertical Headroom above any steps is generally.

(a) 2m

(b) 3m

(c) 4m

(d) None of the above.

Q.5 The sum of $2R + G$ generally not less than (mm)

(a) 550

(b) 770

(c) 250

(d) 300

Q.4

Horizontal projection b/w the first and last rise of
Inclined flight. ?

(a) Nosing

(b) Waist

(c) Going

(d) Landing.

Q.5) Most comfortable stairs is.

(a) open Newel.

(b) dog legged.

(c) spiral

(d) Helicoidal stairs.

Q.6

Most common angle of pitch in stairs is. ?

(a) 25°

(b) 38°

(c) 45°

(d) 90°

Q.7

_____ is used to change the direction of stairs without landing. ?

- (a) Wall string
- (b) Winders
- (c) Skirting
- (d) Newel.

Q.8 Dimension range of Tread & rise for Public Building stairs is?

(a) 300mm & 150mm

(b) 150mm & 300mm

(c) 300mm & 300mm

(d) 270mm & 190mm.



CIVIL ENGINEERING QUESTIONS PRACTICE



RAJASTHAN JE

2000 Question Practice

FEE RS. 299/-

SSC JE PRE 2019

3000 Question Practice

FEE RS. 399/-



EVEREXAM TECH

DOWNLOAD
EVEREXAM APP



GET IT ON
Google Play

www.everexam.org | 8595517959